CONTENTS VOLUME 18

4. POLYPYRROLE, POLYTHIOPHENE, AND ANALOGUES

Chemistry and conductivity of some salts of polypyrrole ..... 1
G. Wegner, W. Wernet, D.T. Glatzhofer, J. Ulanski, Ch. Kröhnke and M. Mohammadi (Mainz, F.R.G.)

Charging capacitive effect in conducting polymers in relation with the electrochemical doping ..... 7
J. Tanguy, N. Mermilliod and M. Hoclet (Gif-sur-Yvette, France)

Conducting polypyrrole electrochemically prepared from aqueous solutions . 13
Renyuan Qian, Jinjin Qiu and Deyan Shen (Beijing, The People's Republic of China)

Growth instability in diffusion controlled polymerization ..... 19
J.H. Kaufman, O.R. Melroy, F.F. Abraham, A.I. Nazzal (San Jose, CA, U.S.A.) and A. Kapitulnik (Stanford, CA, U.S.A.)

Synthesis and characterization of conducting cyclic polymers containing Mössbauer nuclei ..... 25
A. Pron (Warsaw, Poland), J. Suwalski (Świerk, Poland) and S. Lefrant (Nantes, France)

Growth of polypyrrole film on a mercury electrode ..... 31
B. Kaye and A.E. Underhill (Bangor, U.K.)

Synthesis and properties of polypyrrole prepared by electrochemical polymerization of α-bipyrrole ..... 37
H. Lindenberger, D. Schäfer-Siebert, S. Roth (Stuttgart, F.R.G.) and M. Hanack (Tübingen, F.R.G.)

Synthesis and spectroscopic characterization of polypyrrole containing ferrous cyanide anions ..... 43
M. Zagorska, A. Pron (Warsaw, Poland), S. Lefrant (Nantes, France), Z. Kucharski, J. Suwalski (Świerk, Poland) and P. Bernier (Montpellier, France)

Polypyrrole films grown on the surface of a polyvinyl-ferric chloride complex ..... 49
A. Pron, W. Fabianowski, C. Budrowski (Warsaw, Poland), J.B. Raynor (Leicester, U.K.), Z. Kucharski, J. Suwalski (Świerk, Poland), S. Lefrant and G. Fatseas (Nantes, France)

Electrochemical polymerization of pyrrole in aqueous solutions ..... 53
M. Takakubo (Tokyo, Japan)

Local structure of conducting polypyrrole bromide ..... 59
H. Oyanagi, M. Tokumoto, T. Ishiguro (Ibaraki, Japan), M. Ogasawara, K. Funahashi and K. Iwata (Tokyo, Japan)

Structural characterisation of conducting polymers by small angle neutron scattering ..... 65
Yueqiang Shen, K. Carneiro (Copenhagen, Denmark), T. Freltoft (Roskilde, Denmark) and Renyuan Qian (Beijing, China)

Electronic structure of pyrrole-based conducting polymers ..... 71
J. Fink, B. Scheerer (Karlsruhe, F.R.G.), W. Wernet, M. Monkenbusch, G. Wegner (Mainz, F.R.G.), H.J. Freund and H. Gonska (Erlangen, F.R.G.)

Characterisation of the transport properties of conducting polypyrrole films ..... 77
Yueqiang Shen, K. Carneiro (Copenhagen, Denmark), C. Jacobsen (Lyngby, Denmark), Renyuan Qian and Jinjin Qiu (Beijing, China)

Electric conductivity and thermoelectric power of various polypyrroles .. 85
K. Bender, E. Gogu, I. Hennig, D. Schweitzer (Heidelberg, F.R.G.) and H. Münstedt (Ludwigshafen, F.R.G.)

ESR investigation of polarons and bipolarons in conducting polymers: the case of polypyrrole ..... 89
F. Devreux, F. Genoud, M. Nechtschein and B. Villeret (Grenoble, France)

The physical and electrical properties of copolymers of polypyrrole ..... 95
J.R. Reynolds, P.A. Poropatic and R.L. Toyooka (Arlington, TX, U.S.A.)

Effect of organic dopants on electrical conductivity of polypyrrole films 101
S. Kuwabata, K.-I. Okamoto, O. Ikeda and H. Yoneyama (Osaka, Japan)

AC impedance analysis of polypyrrole films ..... 105
M.J. van der Sluijs, A.E. Underhill and B.N. Zaba (Bangor, U.K.)

Conducting polymer film electrode with catalytic sites ..... 111
F. Mizutani, S. Iijima, Y. Tanabe and K. Tsuda (Tsukuba, Japan)

Semiconductors constituted of five-membered heteroarylene vinylene units: polymerization and doping ..... 117
A. Berlin, S. Bradamante, R. Ferraccioli, G.A. Pagani and F. Sannicolo' (Milan, Italy)

Synthesis and physico-chemical characterization of conducting polymers from heteroaromatic bicyclic compounds ..... 123
R. Lazzaroni, A. de Prijck, J. Riga, J. Verbist (Namur, Belgium), C. Bonhomme, F. Brose, L. Christiaens and M. Renson (Liège, Belgium)

Polythiazole: a new semiconducting polymer having a heteroatom in the conduction pathway ..... 129
A. Bolognesi, M. Catellani, S. Destri and W. Porzio (Milan, Italy)

Electrical and optical properties of polaronic states in conducting polymer, polythiophene ..... 133
K. Kaneto and K. Yoshino (Osaka, Japan)

Enhancement of the mean conjugation length in conducting polythiophenes . 139
J. Roncali, F. Garnier (Thiais, France) M. Lemaire and R. Garreau, (Paris, France)

Electrochemical polymerization of thiophene under ultrasonic field ..... 145
S. Osawa, M. Ito, K. Tanaka and J. Kuwano (Tokyo, Japan)

Vibrational key bands and electrical conductivity of polythiophene ..... 151
Y. Furukawa, M. Akimoto and I. Harada (Sendai, Japan)

Electroconducting polymers derived from unbridged, heterobridged, anellated thiophene units ..... 157
A. Berlin, G.A. Pagani and F. Sannicolo' (Milan, Italy)

Investigation of thiophene-based conducting polymers by electron diffraction and by electron energy-loss spectroscopy ..... 163
J. Fink, N. Nücker, B. Scheerer (Karlsruhe, F.R.G.) and H. Neugebauer (Vienna, Austria)

$^{13}C$ CP-MAS NMR and FTIR studies of polythiophenes ..... 169
J.-E. Osterholm, P. Sunila (Kulloo, Finland) and T. Hjertberg (Göteborg, Sweden)

Optical, electrical and structural comparative study of polycondensed thiophene based polymers ..... 177
C. Taliani, R. Danieli, R. Zamboni, P. Ostoja (Bologna, Italy) and W. Porzio (Milan, Italy)

Photoinduced absorption and resonant Raman scattering of polythiophene .. 183
Z. Vardeny, E. Ehrenfreund, O. Brafman (Haifa, Israel), A.J. Heeger and F. Wudl (Santa Barbara, CA, U.S.A.)

Studies on iodine doped thiophene oligomers ..... 189
Yong Cao, Ding Guo, Mei Pang and Renyuan Qian (Beijing, The People's Republic of China)

Pauli and Curie susceptibilities of polythiophene ..... 195
K. Mizoguchi, K. Misoo, K. Kume (Tokyo, Japan), K. Kaneto, T. Shiraishi and K. Yoshino (Osaka, Japan)

Photoluminescence and optically detected magnetic resonance in polythiophene ..... 199
J. Shinar, Z. Vardeny, E. Ehrenfreund and O. Brafman (Haifa, Israel)

Bipolaron state in polythiophene and polypyrrole due to doubly-charged anion dopant ..... 203
Y. Yumoto, K. Morishita and S. Yoshimura (Kawasaki, Japan)

Degradation of polythiophene film by doping-undoping cycle ..... 207
Y. Takenaka, T. Koike, T. Oka, M. Tanahashi (Kyoto, Japan), K.-I. Kaneto and K. Yoshino (Osaka, Japan)

Synthesis and properties of $FeCl_4$-doped polythiophene ..... 213
J.-E. Osterholm, P. Passiniemi (Kulloo, Finland), H. Isotalo and H. Stubb (Espoo, Finland)

Resonance Raman scattering on poly(3-methylthiophene) ..... 219
E.F. Steigmeier, H. Auderset, W. Kobel and D. Baeriswyl (Zurich, Switzerland)

Optical spectra and electronic structure of poly(3-methylthiophene) ..... 225
S. Hasegawa, K. Kamiya, J. Tanaka and M. Tanaka (Nagoya, Japan)

Soluble conducting polymers by electrochemical polymerization of thiophenes having long alkyl substituents ..... 229
M.-A. Sato, S. Tanaka and K. Kaeriyama (Ibaraki, Japan)

Electrochemical preparation of conducting polyalkylthiophene films ..... 233
K. Kaeriyama, M. Sato and S. Tanaka (Ibaraki, Japan)

Poly(thienylpyrrole)—preparation and properties ..... 237
S. Naitoh (Tokyo, Japan)

New findings on poly[(2,2'-dithienyl)-5,5'diylvinylene] (PDTE) ..... 241
M. Bragadin, P. Cescon (Venice, Italy), A. Berlin, G.A. Pagani and F. Sannicolo' (Milan, Italy)

Properties of free standing and composite conducting heterocyclic polymer films prepared utilizing Lewis acids as catalysts ..... 247
R. Sugimoto, H.B. Gu, S. Hayashi and K. Yoshino (Osaka, Japan)

X-ray photoelectron spectra of polycarbazole.$BF_4^-$ and polypyrene.$BF_4^-$ ... 253
S. Hino (Chiba, Japan)

Rechargeable polypyrrole/lithium cells ..... 259
H. Münstedt, G. Köhler, H. Möhwald, D. Naegele (Ludwigshafen am Rhein, F.R.G.), R. Bitthin, G. Ely and E. Meissner (Kelkheim, F.R.G.)

On the question of metallic "poly(carbon diselenide)" ..... 265
Y. Okamoto, L.S. Choi (Brooklyn, NY, U.S.A.), Z. Iqbal and R.H. Baughman (Morristown, NJ, U.S.A.)

Processible, environmentally stable, highly conductive forms of polythiophene ..... 277
R.L. Elsenbaumer, K.Y. Jen, G.G. Miller and L.W. Shacklette (Morristown, NJ, U.S.A.)

5. POLYANILINE AND ANALOGUES

Polyaniline: a new concept in conducting polymers ..... 285
A.G. MacDiarmid, J.C. Chiang, A.F. Richter (Philadelphia, PA, U.S.A.) and A.J. Epstein (Columbus, OH, U.S.A.)

Electronic structure of some polyanilines ..... 291
W.R. Salaneck, I. Lundström (Linköping, Sweden), T. Hjertberg (Göteborg, Sweden), C.B. Duke, E. Conwell, A. Paton (Webster, NY, U.S.A.), A.G. MacDiarmid, N.L.D. Somasiri, W.S. Huang and A.F. Richter (Philadelphia, PA, U.S.A.)

Polyaniline is poly-para-phenyleneamineimine: proof of structure by synthesis ..... 297
D. Vachon, R.O. Angus Jr., F.L. Lu, M. Nowak, Z.X. Liu, H. Schaffer, F. Wudl and A.J. Heeger (Santa Barbara, CA, U.S.A.)

Insulator-to-metal transition in polyaniline ..... 303
A.J. Epstein, J.M. Ginder, F. Zuo (Columbus, OH, U.S.A.), R.W. Bigelow (Webster, NY, U.S.A.), H.-S. Woo, D.B. Tanner (Gainesville, FL, U.S.A.), A.F. Richter, W.-S. Huang and A.G. MacDiarmid (Pennsylvania, PA, U.S.A.)

Water effects in polyaniline: NMR and transport properties ..... 311
M. Nechtschein, C. Santier, J.P. Travers, J. Chroboczek, A. Alix and M. Ripert (Grenoble, France)

Synthesis and properties of electrically conducting polymers from aromatic amines ..... 317
T. Hagiwara, T. Demura and K. Iwata (Tokyo, Japan)

Electrochemical polymerization of aniline ..... 323
Baochen Wang, Jisong Tang and Fosong Wang (Jilin, The People's Republic of China)

Theoretical studies on models of polyaniline ..... 329
R.R. Chance and D.S. Boudreaux (Morristown, NJ, U.S.A.)

Electronic structure of polyaniline and substituted derivatives ..... 335
P. Snauwaert, R. Lazzaroni, J. Riga and J.J. Verbist (Namur, Belgium)

"Polyaniline": formation reaction and structure ..... 341
A. Kitani, M. Kaya, J. Yano, K. Yoshikawa and K. Sasaki (Higashi-Hiroshima, Japan)

Raman and infrared spectra of polyaniline ..... 347
M. Ohira, T. Sakai, M. Takeuchi, Y. Kobayashi and M. Tsuji (Tokyo, Japan)

In situ spectro-electrochemical studies of polyaniline ..... 353
H. Kuzmany and N.S. Sariciftci (Vienna, Austria)

Electrochemical characterization of chemically synthesized polyanilines . 359
N. Mermilliod, J. Tanguy, M. Hoclet (Gif-sur-Yvette, France) and A.A. Syed (Mysore, India)

Electrochemical studies of polyaniline and its application ..... 365
K. Okabayashi, F. Goto, K. Abe and T. Yoshida (Aichi, Japan)

Electrically conducting polytriphenylamines ..... 371
Y. Ohsawa, M. Ishikawa, T. Miyamoto, Y. Murofushi and M. Kawai (Yokosuka, Japan)

Electrochemical properties of the polymer films prepared by electrochemical polymerization of aromatic compounds with amino groups ..... 375
N. Oyama and T. Ohsaka (Tokyo, Japan)

A new simple synthesis of electroconducting triphenodithiazine ..... 381
C. Della Casa, P. Costa Bizzarri and F. Andreani (Bologna, Italy)

Defect states in polyaniline ..... 387
S. Stafström (Linköping, Sweden)

Polyaniline: electrochemistry and application to rechargeable batteries . 393
A.G. MacDiarmid, L.S. Yang, W.S. Huang and B.D. Humphrey (Philadelphia, PA, U.S.A.)

Electrochemical doping of poly[4-(*N*,*N*-diphenylamino)phenylmethyl methacrylate], and rectification and photovoltaic properties ..... 399
Y. Shirota, N. Noma and H. Mikawa (Osaka, Japan)

6. POLYDIACETYLENE

Spectroscopic study of electronic phase-transition in polydiacetylenes .. 407
Y. Tokura, T. Kanetake, K. Ishikawa and T. Koda (Tokyo, Japan)

New polymerization technique for diacetylenes in the frozen state ..... 413
K. Takeda and M. Hasegawa (Tokyo, Japan)

Acceptor-type polydiacetylene——synthesis and electric conduction ..... 417
K. Naito and M. Okamoto (Kawasaki, Japan)

Structure and disorder of polydiacetylene: poly(4BCMU) ..... 423
Y. Takahashi, T. Zakoh, K. Inoue, H. Ohnuma and T. Kotaka (Osaka, Japan)

ESR studies of polydiacetylene and related materials ..... 427
M.T. Jones, S. Jansen, J. Roble (St. Louis, MO, U.S.A.), D.J. Sandman and C.S. Velazquez (Waltham, MA, U.S.A.)

Electrical properties of $I_2$-doped polydiacetylene ..... 431
F. Ebisawa, T. Kurihara and H. Tabei (Tokai-mura, Japan)

Electrical properties of urethane-substituted polydiacetylene ..... 437
S. Yamao, K. Se and T. Kotaka (Osaka, Japan)

Dependence of excitation wavelength and intensity on the spectrum and decay of the time-resolved reflectance change of polydiacetylene single crystals ..... 441
T. Kobayashi and H. Ikeda (Tokyo, Japan)

Absorption spectra of chemically modified soluble poly-diacetylene ..... 447
S. Yamao and T. Kotaka (Osaka, Japan)

Inherent phase transition and polymerization mechanism in irradiated diacetylene crystal: 1,6-(*N*-carbazolyl)-2,4-hexadiyne (DCH) ..... 453
T. Matsuyama, N. Achiwa, H. Yamaoka (Osaka, Japan), M. Ohoka and M. Yamamoto (Kyoto, Japan)

Nonlinear spectroscopy in polydiacetylenes ..... 459
P.-A. Chollet, F. Kajzar and J. Messier (Gif-sur-Yvette, France)

Inclusion polymerization of 1,3-butadiyne in deoxycholic acid and apo-cholic acid canals ..... 465
H. Tsutsumi, K. Okanishi, M. Miyata and K. Takemoto (Osaka, Japan)

7. PYROPOLYMERS AND GRAPHITES

New polyconjugated systems for intrinsically conductive polymers ..... 473
S. Yoshimura, M. Murakami, H. Yasujima, S. Mizogami (Kawasaki, Japan) and S. Iijima (Nagoya, Japan)

Polymetacyclophane: a new class of polyconjugated systems ..... 479
S. Mizogami, S. Naitoh and S. Yoshimura (Kawasaki, Japan)

An approach to the preparation of one-dimensional graphite ..... 485
M. Ozaki, Y. Ikeda and I. Nagoya (Tokyo, Japan)

Properties and structures of graphite fibers prepared from cyanoacetylene 491
S. Fukuda, J. Tsukamoto, A. Takahashi and K. Matsumura (Tokyo, Japan)

Preparation of graphite film by pyrolysis of polymers ..... 497
T. Ohnishi, I. Murase, T. Noguchi and M. Hirooka (Tokyo, Japan)

Preparation and properties of graphite grown in vapor phase ..... 503
H. Matsubara, Y. Yamaguchi, J. Shioya and S. Murakami (Tokyo, Japan)

Highly conductive pyropolymer and high-quality graphite from polyoxadiazole ..... 509
M. Murakami and S. Yoshimura (Kawasaki, Japan)

Electrical conductivity and thermoelectric power in polyacenic materials. 515
H. Ueno, G. Ishii, K. Yoshino, S. Yata (Osaka, Japan), K. Tanaka and T. Yamabe (Kyoto, Japan)

ESR study of in situ doped polyacenic semiconductive material with iodine and bromine ..... 521
K. Tanaka, T. Koike, H. Nishino, T. Yamabe, J. Yamauchi, Y. Deguchi (Kyoto, Japan) and S. Yata (Osaka, Japan)

Electrical properties of pyrolytic polyoxadiazole ..... 527
H. Yasujima, M. Murakami and S. Yoshimura (Kawasaki, Japan)

Morphology and polymerization mechanism of one-dimensional graphite polymer, poly-peri-naphthalene ..... 531
M. Murakami (Kawasaki, Japan)

Electrochemical lithium intercalation of carbon fibers ..... 537
T. Kitamura, T. Miyazaki and T. Kawagoe (Tokyo, Japan)

High field magnetic behaviour of a first stage graphite intercalation compound with $CoCl_2$ ..... 543
R. Yazami (Saint-Martin-d'Hères, France) and G. Chouteau (Grenoble, France)

Some novel graphite intercalation compounds with involatile fluorides: intercalation mechanism and in-plane electrical conductivity ..... 549
H. Touhara, K. Kadono, H. Imoto, N. Watanabe (Kyoto, Japan), A. Tressaud and J. Grannec (Talence, France)

Crystal chemistry and conductivity behavior of new graphite/metal fluoride intercalation compounds ..... 555
A. Tressaud, J. Grannec, B. Hun, S. Flandrois and C. Hauw (Talence, France)

Synthesis and characterization of black phosphorus intercalation compounds ..... 559
T. Nishii (Mie, Japan), Y. Maruyama, T. Inabe (Aichi, Japan) and I. Shirotani (Hokkaido, Japan)

Electrical conductivity, mechanical properties and stability of intercalated graphite fibers ..... 565
Ph. Touzain, G.R. Bagga and S. Blazewicz (Saint-Martin-d'Hères, France)

8. ION IMPLANTATIONS

Implantation of polymers with conjugated bonds with $H_2^+$ ions ..... 575
A. Kuczkowski and J. Liwo (Gdańsk, Poland)

Ion implantation of polymeric phthalocyanines ..... 581
A.J. Dann, M.R. Fahy, M.R. Willis (Nottingham, U.K.) and C. Jeynes (Guildford, U.K.)

Ion beam modification of conducting polymers ..... 585
T. Wada, A. Takeno, M. Iwaki and H. Sasabe (Saitama, Japan)

Radiation induced effect in conducting polymers ..... 591
S. Hayashi, S. Takeda, K. Kaneto, K. Yoshino and T. Matsuyama (Osaka, Japan)

Substitutional doping in polysilane (SiH)n ..... 597
S. Ikehata (Tokyo, Japan) and T. Iwata (Ibaraki, Japan)

Positron annihilation in (SN)x ..... 601
Y. Suzuki, S. Ishibashi, S. Matsusaki, M. Doyama and I. Nakata (Tokyo, Japan)

Novel quasi-one-dimensional solids with pseudo-$(SN)_x$ bundle-structure ... 605
M. Mégnamisi-Bélombé (Yaoundé, Cameroon)

9. APPLICATIONS

Secondary batteries with electroactive polymer electrodes ..... 611
L.W. Shacklette, M. Maxfield, S. Gould, J.F. Wolf, T.R. Jow and R.H. Baughman (Morristown, NJ, U.S.A.)

(CH)x/(CH)x battery with unsymmetrical tetraalkyl ammonium salt ..... 619
Y. Kobayashi, T. Shishikura, H. Nakamura, H. Konuma (Tokyo, Japan) and K. Fuzita (Ibaraki, Japan)

Electrochemical stability of electrosynthesized heterocyclic semiconducting polymers as cathode-active materials in advanced batteries ..... 625
A. Corradini, M. Mastragostino (Bologna, Italy), A.S. Panero, P. Prosperi and B. Scrosati (Rome, Italy)

Polyaniline, spectroelectrochemistry, display and battery ..... 631
E.M. Geniès, M. Lapkowski, C. Santier and E. Vieil (Grenoble, France)

Critical aspects of organic polymer batteries ..... 637
P. Passiniemi and J.-E. Österholm (Kulloo, Finland)

Polymer battery employing polyacenic semiconductor ..... 645
S. Yata, Y. Hato, K. Sakurai, T. Osaki (Osaka, Japan), K. Tanaka and T. Yamabe (Kyoto, Japan)

Polyacetylene batteries—scaling up and problems ..... 649
T. Nagatomo, C. Ichikawa and O. Omoto (Tokyo, Japan)

Electrochemical behavior of $Fe_xNb_{1-x}Se_3$ ($x=0 \sim 0.25$) with one dimensional structure as new positive electrodes for secondary lithium batteries .... 655
N. Kumagai, N. Kumagai and K. Tanno (Morioka, Japan)

Electrochemical reaction of doped polyacetylene with acetonitrile electrolytic solution ..... 661
H. Sugimoto, S. Nishimura, K. Fujita, S. Matsuda (Ibaraki, Japan) and Y. Kobayashi (Tokyo, Japan)

Aluminum solid electrolytic capacitor with organic semiconductor ..... 665
S. Niwa (Osaka, Japan)

Post polymerisation processing of conductive polymers (CP) ..... 671
B. Wessling and H. Volk (Ahrensburg, F.R.G.)

Anisotropic conductivity of polypyrrole-polyvinylchloride conducting polymer alloy film prepared on patterned electrode ..... 677
O. Niwa, M. Hikita and T. Tamamura (Ibaraki, Japan)

Molecular semiconductors and junction formation: phthalocyanine derivatives ..... 683
J.J. André (Strasbourg, France), J. Simon, R. Even (Paris, France), B. Boudjema, G. Guillaud and M. Maitrot (Lyon, France)

Schottky barrier formation between polypyrrole and indium ..... 689
S. Miyauchi, A. Fueki, Y. Kushihi, H. Abiko and Y. Sorimachi (Nagaoka, Japan)

Organic semiconducting polymers as molecular material for electronic devices ..... 693
F. Garnier and G. Horowitz (Thiais, France)

Field-effect transistor with polythiophene thin film ..... 699
H. Koezuka, A. Tsumura and T. Ando (Hyogo, Japan)

Photovoltaic effect of n-type polyacetylene junctions ..... 705
A. Usuki, M. Murase and T. Kurauchi (Aichi, Japan)

Electrochemical fabrication of a polypyrrole/polythiophene p-n junction diode ..... 711
M. Aizawa, H. Shinohara (Tokyo, Japan), T. Yamada, K. Akagi and H. Shirakawa (Tsukuba, Japan)

Electroactive polymers in thin layers: a potential application as a gas sensor ..... 715
G. Berthet, J.P. Blanc, J.P. Germain, A. Larbi, C. Maleysson and H. Robert (Aubière, France)

Anisotropic electronic conduction of Nafion-conducting polymer hybrids .. 721
K. Shigehara, M. Hara and A. Yamada (Saitama, Japan)

Conducting polymer electrodes with high performances through anodic doping process ..... 725
T. Iyoda, A. Ohtani, T. Shimidzu and K. Honda (Kyoto, Japan)

Structural design of polymeric solid electrolytes to increase ionic conductivity ..... 731
M. Hara, K. Shigehara and A. Yamada (Saitama, Japan)

Electronic and optical properties of semiconducting polymers $Si_{1-x}C_xH_{2-y}$ ($1>x\geq 0$) ..... 735
S. Nitta, S. Nonomura, N. Kojima, R. Takagi, I. Murase, M. Sakaida and T. Gotou (Gifu, Japan)

Applications of conducting polymers as electronics and opto-electronics devices ..... 741
K. Yoshino, K. Kaneto and S. Takeda (Osaka, Japan)

Charge-controllable polypyrrole-polyelectrolyte composite membrane ..... 747
T. Iyoda, A. Ohtani, T. Shimidzu and K. Honda (Kyoto, Japan)

Organic electron intensifier ..... 753
B. Jachym, G. Wisniewski and J. Witort (Gdańsk, Poland)

Resonance phenomena in nonlinear parametrically driven systems ..... 759
M. Gitterman and D. Pfeffer (Ramat-Gan, Israel)

Effective content of the crystalline CT complex in reticulate doped polymers ..... 765
J.K. Jeszka, A. Tracz and M. Kryszewski (Łódź, Poland)

Relation between mechanical and piezoelectrical behavior of poly(vinylidene fluoride) films ..... 771
S.Y. Kim and D.H. Choi (Seoul, Korea)

Influence of synthetic conditions and doping-induced modifications in the structure and electrical properties of electret-forming polymers .... 777
M. Castiñeira, P. Soria, C. Fernandez-Sanchez, J.J. Lopez-Caminos (Alcalá de Henares, Spain), F.J. Berry, S. Jones (Birmingham, U.K.), J.C. Conesa and J.M. Palacios (Madrid, Spain)

Application of conducting polymers as catalysts for cis-trans photoisomerization of alkenes ..... 785
S. Yanagida, M. Hanazawa, A. Kabumoto, C. Pac and K. Yoshino (Osaka, Japan)

Exciton migration and chemical reactions at dye aggregate-semiconductor interface ..... 791
H. Hada and Y. Yonezawa (Kyoto, Japan)

Progress towards organic single-monolayer rectifiers ..... 797
R.M. Metzger, C.A. Panetta, Y. Miura and E. Torres (Mississippi, MS, U.S.A.)

Photo-electrical studies on metal-LB film interfaces ..... 803
T. Nakayama, K. Mizushima, S. Egusa and M. Azuma (Kawasaki, Japan)

The transport mechanism of stearic acid LB films on metal and semiconductor substrates ..... 809
N. Gemma, K. Mizushima, A. Miura and M. Azuma (Kawasaki, Japan)

TTF-TCNQ Langmuir-Blodgett films ..... 815
M. Fujiki and H. Tabei (Ibaraki, Japan)

Electronic conductivity of metallophthalocyanine crystal thin films ..... 821
A. Yamada, K. Shigehara and M. Hara (Saitama, Japan)

Ion exchangers based on oxidized polymers ..... 827
J.O. Besenhard, M. Bindl and J. Marz (Münster, F.R.G.)

Semiconductor evaluation techniques: heat pulses ..... 833
M.I. Ismail and Y. Safar (Kuwait, Kúwait)

Heat pulse technique for evaluation of some conductive polymers ..... 839
M.I. Ismail, R.S. Al-Ameeri and T.A. Al-Sahhaf (Kuwait, Kuwait)

Effect of surfactants on some properties of graphite-based conductive polymers ..... 845
M.I. Ismail and A.Y. Rostom (Kuwait, Kuwait)

Superconducting properties of Chevrel-phase $PbMo_6S_8$ wires ..... 851
Y. Kubo, K. Yoshizaki and Y. Hashimoto (Kanagawa, Japan)

One step elaboration of transparent conducting composites from poly-3 methylthiophene ..... 857
J. Roncali, A. Mastar and F. Garnier (Thiais, France)

Electrical conductivity of organized chromophores in bilayer film ..... 861
R. Aoki, T. Kunitake, N. Kimizuka and M. Shimomura (Fukuoka, Japan)

CONCLUDING REMARKS

Concluding remarks: conductive polymers ..... 869
S. Roth (Stuttgart, F.R.G.)